



# ***BUILT FOR EVERY ROAD. TRUSTED WORLDWIDE.***

Discover the complete range of Petlas tires, delivering quality, durability, and performance across international markets.

**petlas**





# CONTENTS



|                                  |    |
|----------------------------------|----|
| About TIRETURK & Export Services | 03 |
|----------------------------------|----|



|                                     |       |
|-------------------------------------|-------|
| Brand Overview                      | 4     |
| Passenger & SUV                     | 5–5   |
| Passenger & SUV — Summer Tyres      | 6–11  |
| Passenger & SUV — Winter Tyres      | 12–14 |
| Passenger & SUV — All-Season Tyres  | 15–16 |
| Light Commercial                    | 17–17 |
| Light Commercial — Summer Tyres     | 18–20 |
| Light Commercial — Winter Tyres     | 21–22 |
| Light Commercial — All-Season Tyres | 23–24 |
| Truck & Bus                         | 25–35 |
| Agricultural Tires                  | 36–48 |
| Off The Road & Industrial           | 49–60 |
| Forklift                            | 61–63 |
| Military                            | 64–67 |
| Aviation                            | 68–69 |





**We are an international tire export company delivering Petlas's products to markets around the world.**

From product sourcing to logistics organization, from customs documentation to after-sales warranty management, we manage every stage of the export process from a single point — ensuring our customers a reliable and seamless supply chain.

## **SOURCING**

Direct access to Petlas production

## **LOGISTICS**

End-to-end shipment organization

## **CUSTOMS**

Full documentation handling

## **WARRANTY**

After-sales management for every shipment





Petlas is a Turkish tire manufacturer producing a full line of tires — passenger, SUV, light commercial, truck & bus, agricultural, off-the-road, industrial, and specialty applications — engineered in Turkey and exported worldwide.

**154**

MODELS IN THIS CATALOG

**8**

PRODUCT SEGMENTS

***petlas***<sup>®</sup>





PASSENGER & SUV

**petlas**

# ***PASSENGER & SUV***

Petlas car and SUV range, organised by season.

**WINTER**

**SUMMER**

**ALL-SEASON**





**petlas**

**SUMMER** 10 MODELS  
**PASSENGER & SUV**

Precise handling and short braking on hot, dry  
and wet asphalt.





|                                                                                     | MODEL                 | SIZES                     | SPEED INDEX   |
|-------------------------------------------------------------------------------------|-----------------------|---------------------------|---------------|
|   | <b>ELEGANT PT311</b>  | 12–15 in · 60 - 80 series | T / R / H     |
|  | <b>IMPERIUM PT515</b> | 13–17 in · 45 - 70 series | T / H / V / W |

## FULL SIZE INDEX

## ELEGANT PT311

## 12"

145/70 R12 TL 69T  
155/70 R12 TL 73T  
155/80 R12 TL 77T  
165/70 R12 TL 77T  
175/70 R12 TL 80T

## 13"

145/70 R13 TL 71T  
155/65 R13 TL 73T  
155/70 R13 TL 75T  
155/80 R13 TL 79T  
165/65 R13 TL 77T  
165/70 R13 TL 79T  
165/70 R13 TL REINFORCED 83T  
165/80 R13 TL 83T  
165/80 R13 TL REINFORCED 87R  
175/65 R13 TL 80T  
175/70 R13 TL 82T  
185/70 R13 TL 86T

## IMPERIUM PT515

## 13"

175/60 R13 TL 77H  
175/70 R13 TL 82H  
175/70 R13 TL 82T

## 14"

175/65 R14 TL 82H  
175/65 R14 TL REINFORCED 86T  
175/70 R14 TL 84H  
175/70 R14 TL REINFORCED 88H  
185/60 R14 TL 82H  
185/65 R14 TL 86H  
185/70 R14 TL 88H  
195/60 R14 TL 86H  
205/60 R14 TL 88V

## 14"

155/65 R14 TL 75T  
155/65 R14 TL REINFORCED 79T  
165/60 R14 TL 75T  
165/65 R14 TL 79T  
165/70 R14 TL 81T  
165/70 R14 TL REINFORCED 85R  
175/65 R14 REINFORCED TL 86T  
175/65 R14 TL 82T  
175/70 R14 REINFORCED TL 88T  
175/70 R14 TL 84T  
175/80 R14 TL 88T  
185/65 R14 TL 86T  
185/70 R14 TL 88T  
195/65 R14 TL 89H  
195/70 R14 TL 91T

## 15"

175/65 R15 TL 84H  
185/55 R15 TL 82V  
185/60 R15 TL 84H  
185/60 R15 TL REINFORCED 88H  
185/65 R15 TL 88H  
185/65 R15 TL REINFORCED 92H  
195/50 R15 TL 82V  
195/55 R15 TL 85V  
195/60 R15 TL 88H  
195/60 R15 TL 88V  
195/60 R15 TL REINFORCED 92H  
195/65 R15 TL 91H  
195/65 R15 TL 91V  
195/65 R15 TL REINFORCED 95H  
205/50 R15 TL 86V  
205/55 R15 TL 88V  
205/60 R15 TL 91H  
205/60 R15 TL 91V  
205/65 R15 TL 94H  
205/65 R15 TL 94V  
205/65 R15 TL REINFORCED 99H  
215/65 R15 TL 96V

## 15"

165/80 R15 TL 87T  
175/65 R15 TL 84T  
185/65 R15 TL 88T  
195/65 R15 REINFORCED TL 95T  
195/65 R15 TL 91T  
195/70 R15 TL REINFORCED 97T

## 16"

195/55 R16 TL 87V  
205/50 ZR16 87W  
205/55 R16 TL 91H  
205/55 R16 TL 91V  
205/60 R16 TL 92H  
205/60 R16 TL 92V  
205/60 R16 TL REINFORCED 96V  
205/65 R16 TL 95H  
215/55 R16 TL 93H  
215/55 R16 TL 93V  
215/65 R16 TL 98H  
215/65 R16 TL 98V  
225/55 ZR16 TL 95W

## 17"

205/50 ZR17 TL REINFORCED 93W  
215/45 ZR17 TL REINFORCED 91W  
225/45 ZR17 TL REINFORCED 94W  
225/50 ZR17 TL REINFORCED 98W  
225/55 R17 C TL 109/107 H 8PR  
225/55 ZR17 TL 97W



|                                                                                     | MODEL                   | SIZES                        | SPEED INDEX      |
|-------------------------------------------------------------------------------------|-------------------------|------------------------------|------------------|
|   | <b>PROGREEN PT525</b>   | 14–16 in ·<br>50 - 70 series | T / H / V        |
|  | <b>VELOXSPORT PT741</b> | 16–20 in ·<br>35 - 60 series | V / W / H<br>/ Y |

**FULL SIZE INDEX****PROGREEN PT525****14"**

175/65 R14 TL 82T  
 175/65 R14 TL REINFORCED 86T  
 175/70 R14 TL 84T  
 175/70 R14 TL REINFORCED 88T  
 185/55 R14 TL 80H  
 185/60 R14 TL 82H  
 185/65 R14 TL 86T  
 185/70 R14 TL 88T

**15"**

185/55 R15 TL 82V  
 185/60 R15 TL 84H  
 185/60 R15 TL REINFORCED 88H  
 185/65 R15 TL 88H  
 185/65 R15 TL 88T  
 185/65 R15 TL REINFORCED 92H  
 195/50 R15 TL 82H  
 195/55 R15 TL 85H  
 195/60 R15 TL 88H  
 195/65 R15 TL 91H  
 195/65 R15 TL 91T  
 195/65 R15 TL 91V  
 195/65 R15 TL REINFORCED 95T  
 205/65 R15 TL 94H

**16"**

195/50 R16 TL REINFORCED 88V  
 195/55 R16 TL 87H  
 205/55 R16 TL 91H  
 205/60 R16 TL 92H  
 205/60 R16 TL 92V  
 205/60 R16 TL REINFORCED 96V  
 215/60 R16 TL 95V

**VELOXSPORT PT741****17"**

225/55 RF17 P-RFT TL 97W

**18"**

245/40 RF18 P-RFT TL 93W  
 245/45 RF18 P-RFT TL 96W  
 245/50 RF18 P-RFT TL 100W

**19"**

245/40 RF19 P-RFT TL 94W  
 245/45 RF19 P-RFT TL 98W  
 255/35 RF19 P-RFT TL 92W



| MODEL | SIZES | SPEED INDEX |
|-------|-------|-------------|
|-------|-------|-------------|



|                          |                              |                  |
|--------------------------|------------------------------|------------------|
| <b>PRIME<br/>COMFORT</b> | 13–18 in · 45 -<br>80 series | W / V / H<br>/ T |
|--------------------------|------------------------------|------------------|



|                           |                              |                  |
|---------------------------|------------------------------|------------------|
| <b>PRESTIGE<br/>SPORT</b> | 17–22 in · 30 -<br>65 series | Y / W / V /<br>H |
|---------------------------|------------------------------|------------------|

**FULL SIZE INDEX****PRIME COMFORT****13"**

165/80 R13 TL 83T

**15"**

175/65 R15 TL 84H  
185/55 R15 TL 82V  
185/60 R15 TL 84H  
185/60 R15 TL 88H XL  
185/65 R15 TL 88H  
185/65 R15 TL 92T XL  
195/50 R15 TL 82V  
195/55 R15 TL 85V  
195/60 R15 TL 88V  
195/65 R15 TL 91V  
195/65 R15 TL 95H XL  
205/55 R15 TL 88V  
205/60 R15 TL 91V  
205/65 R15 TL 94V

**PRESTIGE SPORT****19"**

235/50 R19 TL 99H  
235/55 ZR19 TL 105Y XL  
245/35 ZR19 TL 93Y XL  
245/40 ZR19 TL 98Y XL  
245/45 ZR19 TL 102Y XL  
255/30 ZR19 TL 91Y XL  
255/35 ZR19 TL 96Y XL  
255/40 ZR19 TL 100Y XL  
255/45 ZR19 TL 104Y XL  
265/30 ZR19 TL 93Y XL  
265/35 ZR19 TL 98Y XL  
275/30 ZR19 TL 96Y XL  
275/35 ZR19 TL 100Y XL  
275/40 ZR19 TL 105Y XL

**16"**

185/55 R16 TL 87V XL  
195/45 R16 TL 84V XL  
195/50 R16 TL 88V XL  
195/55 R16 TL 91V XL  
205/50 R16 TL 91W XL  
205/55 R16 TL 91V  
205/55 R16 TL 94W XL  
205/60 R16 TL 96W XL  
205/65 R16 TL 95H  
215/45 R16 TL 90V XL  
215/60 R16 TL 99V XL  
215/65 R16 TL 102V XL  
215/65 R16 TL 98H  
235/60 R16 TL 100W

**20"**

225/35 ZR20 P-RFT TL 90Y XL  
225/35 ZR20 TL 90Y XL  
235/45 ZR20 TL 100W XL  
245/30 ZR20 TL 90Y XL  
245/35 ZR20 TL 95Y XL  
245/40 ZR20 TL 99Y XL  
245/45 ZR20 TL 103Y XL  
255/30 ZR20 TL 92Y XL  
255/35 ZR20 TL 97Y XL  
255/40 ZR20 TL 101Y XL  
265/30 ZR20 TL 94Y XL  
265/35 ZR20 TL 99Y XL  
265/40 ZR20 TL 104Y XL  
265/45 ZR20 TL 108Y XL  
275/30 ZR20 TL 97Y XL  
275/35 ZR20 TL 102Y XL  
275/40 ZR20 TL 106Y XL  
275/45 ZR20 TL 110Y XL  
285/30 ZR20 TL 99Y XL  
285/35 ZR20 TL 104Y XL  
295/30 ZR20 TL 101Y XL  
295/35 ZR20 TL 105Y XL  
295/45 ZR20 TL 114Y XL  
315/35 ZR20 TL 110Y XL

**17"**

205/55 R17 TL 95W XL  
215/60 R17 TL 100V XL

**18"**

195/60 R18 TL 96H XL

**21"**

265/35 ZR21 TL 101Y XL  
265/40 ZR21 TL 105Y XL  
275/35 ZR21 TL 103Y XL  
275/40 ZR21 TL 107Y XL  
275/45 ZR21 TL 110Y XL  
285/40 ZR21 TL 109Y XL  
295/35 ZR21 TL 107Y XL  
295/40 ZR21 TL 111Y XL  
315/30 ZR21 TL 105Y XL  
315/35 ZR21 TL 111Y XL

**22"**

265/40 ZR22 TL 106Y XL  
275/40 ZR22 TL 108Y XL  
285/40 ZR22 TL 110Y XL



| MODEL | SIZES | SPEED INDEX |
|-------|-------|-------------|
|-------|-------|-------------|



|                          |                           |               |
|--------------------------|---------------------------|---------------|
| <b>EXPLERO H/T PT431</b> | 17–22 in · 35 - 65 series | Y / H / V / W |
|--------------------------|---------------------------|---------------|



|                          |                           |           |
|--------------------------|---------------------------|-----------|
| <b>EXPLERO A/T PT421</b> | 15–18 in · 60 - 80 series | S / T / H |
|--------------------------|---------------------------|-----------|

**FULL SIZE INDEX****EXPLERO H/T PT431****17"**

215/60 R17 TL 96V  
225/55 R17 TL 97V  
225/65 R17 TL 102H  
235/55 R17 REINFORCED TL 103V  
235/60 R17 TL 102V  
235/65 R17 REINFORCED TL 108V  
255/60 R17 TL 106V

**18"**

215/55 R18 TL 95H  
225/55 R18 TL 98V  
225/60 R18 TL 100H  
235/50 R18 REINFORCED TL 101V  
235/55 R18 TL 100V  
235/60 R18 REINFORCED TL 107V  
245/60 R18 TL 105H  
255/55 R18 REINFORCED TL 109V  
255/60 R18 REINFORCED TL 112V  
265/60 R18 TL 110H  
265/60 R18 TL 110V

**19"**

225/55 R19 TL 99H  
235/50 ZR19 REINFORCED TL 103W  
235/55 R19 REINFORCED TL 105V  
245/55 R19 TL 103H  
255/50 R19 REINFORCED TL 107V  
255/55 R19 REINFORCED TL 111V  
265/50 ZR19 REINFORCED TL 110W  
275/45 ZR19 REINFORCED TL 108W  
275/55 R19 TL 111V  
285/45 R19 TL 107V  
255/50 RF19 P-RFT REINFORCED TL 107W

**20"**

255/45 ZR20 REINFORCED TL 105Y  
255/50 ZR20 REINFORCED TL 109Y  
255/55 ZR20 TL REINFORCED 110Y  
275/40 ZR20 TL 102W  
275/45 ZR20 REINFORCED TL 110W  
285/45 ZR20 TL REINFORCED 112Y  
315/35 ZR20 TL REINFORCED 110W  
275/40 RF20 P-RFT TL REINFORCED 106Y  
315/35 RF20 P-RFT TL REINFORCED 110W

**21"**

265/35 ZR21 TL REINFORCED 101Y  
275/45 ZR21 TL REINFORCED 110Y  
295/35 ZR21 TL REINFORCED 107Y

**22"**

275/40 ZR22 TL REINFORCED 108Y

**EXPLERO A/T PT421****15"**

215/80 R15 TL 102S  
235/75 R15 TL 105T  
255/70 R15 TL 108T  
265/70 R15 REINFORCED TL 116T  
265/70 R15 TL 112T

**16"**

205/80 R16 REINFORCED TL 104T  
215/65 R16 TL 98T  
235/70 R16 TL 106T  
245/70 R16 REINFORCED TL 111T

**17"**

265/65 R17 REINFORCED TL 116S

**18"**

255/60 R18 REINFORCED TL 112H  
265/60 R18 REINFORCED TL 114T



|                                                                                     | MODEL          | SIZES                  | SPEED INDEX   |
|-------------------------------------------------------------------------------------|----------------|------------------------|---------------|
|   | Peaklander A/T | 15–18 in · ≤ 75 series | S / R / Q / N |
|  | Peaklander M/T | 15–20 in · ≤ 75 series | Q             |

FULL SIZE INDEX

PEAKLANDER A/T

15"

31X10.50 R15LT TL 109S 6PR LRC  
RWL

PEAKLANDER M/T

15"

31X10.50 R15LT TL 109Q 6PR LRC  
33X12.50 R15LT TL 108Q 6PR LRC  
35X12.50 R15LT TL 113Q 6PR LRC

17"

35X12.50 R17LT TL 121Q 10PR  
LRE

18"

35X12.50 R18LT TL 118Q 8PR LRD

20"

35X12.50 R20LT TL 121Q 10PR  
LRE



**petlas**

**WINTER** 6 MODELS  
**PASSENGER & SUV**

Confident grip on snow, ice and cold wet roads.





| MODEL                                                                               | SIZES                     | SPEED INDEX                                    |
|-------------------------------------------------------------------------------------|---------------------------|------------------------------------------------|
|    | <b>SNOWMASTER 2</b>       | 13–18 in · 50 - 80 series<br>H / T             |
|   | <b>GLACIER W661</b>       | 13–17 in · 45 - 70 series<br>T                 |
|  | <b>SNOWMASTER 2 SPORT</b> | 16–21 in · 35 - 65 series<br>V / W / H / Y / T |

FULL SIZE INDEX

SNOWMASTER 2

13"

155/65 R13 TL 73T  
155/70 R13 TL 75T  
155/80 R13 TL 79T  
165/70 R13 TL 79T  
165/80 R13 TL 83T  
175/70 R13 TL 82T

14"

155/65 R14 TL 75T  
165/65 R14 TL 79T  
165/70 R14 TL 81T  
175/65 R14 TL 82T  
175/65 R14 TL REINFORCED 86T  
175/70 R14 TL 84T  
175/70 R14 TL REINFORCED 88T  
185/55 R14 TL 80H  
185/60 R14 TL 82H  
185/65 R14 TL 86T  
185/70 R14 TL 88T

GLACIER W661

13"

175/70 R13 TL 82T

14"

175/65 R14 TL 82T  
185/65 R14 TL 86T

15"

185/60 R15 TL REINFORCED 88T  
185/65 R15 TL 88T  
195/60 R15 TL 88T  
195/65 R15 TL 91T  
205/65 R15 TL 94T

SNOWMASTER 2 SPORT

17"

225/45 RF17 P-RFT TL REINFORCED 94V  
225/50 RF17 P-RFT TL REINFORCED 98V  
225/55 RF17 P-RFT TL REINFORCED 101V

15"

175/65 R15 TL 84T  
185/55 R15 TL 82H  
185/60 R15 TL REINFORCED 88H  
185/65 R15 TL 88H  
185/65 R15 TL REINFORCED 92H  
195/50 R15 TL 82H  
195/55 R15 TL 85H  
195/60 R15 TL 88H  
195/65 R15 TL 91H  
195/65 R15 TL REINFORCED 95H  
205/65 R15 TL 94H

16"

185/55 R16 TL REINFORCED 87H  
195/50 R16 TL REINFORCED 88H  
195/55 R16 TL 87H  
205/55 R16 TL 91H  
205/60 R16 TL REINFORCED 96H  
205/65 R16 TL 95H  
205/55 RF16 P-RFT TL 91H  
205/60 RF16 P-RFT TL REINFORCED 96H  
185/60 R18 TL REINFORCED 96H

18"

16"

195/55 R16 TL 87T  
205/55 R16 TL 91T  
205/60 R16 TL 92T  
205/60 R16 TL REINFORCED 96T  
215/55 R16 TL REINFORCED 97T

17"

215/50 R17 TL REINFORCED 95T  
215/55 R17 TL REINFORCED 98T  
225/45 R17 TL REINFORCED 94T  
225/50 R17 TL REINFORCED 98T  
225/55 R17 TL REINFORCED 101T

18"

225/45 RF18 P-RFT TL REINFORCED 95V  
225/50 RF18 P-RFT TL REINFORCED 99V  
245/45 RF18 P-RFT TL REINFORCED 100V  
255/40 RF18 P-RFT TL REINFORCED 99V  
225/40 RF19 P-RFT TL REINFORCED 93W  
245/45 RF19 P-RFT TL REINFORCED 102V

20"

255/40 ZR20 TL REINFORCED 101W  
255/45 R20 TL REINFORCED 105V  
255/50 R20 TL REINFORCED 109V  
255/55 R20 TL REINFORCED 110V  
275/35 ZR20 TL REINFORCED 102Y  
275/45 R20 TL REINFORCED 110V  
285/35 ZR20 TL REINFORCED 104Y  
285/40 R20 TL REINFORCED 108V  
265/40 R21 TL REINFORCED 105V  
275/45 R21 TL REINFORCED 110V

21"





PASSENGER & SUV — WINTER TYRES — PART 2 OF 2

3 models · p.14

|                                                                                     | MODEL               | SIZES                     | SPEED INDEX   |
|-------------------------------------------------------------------------------------|---------------------|---------------------------|---------------|
|    | EXPLERO WINTER W671 | 15–20 in · 35 - 80 series | S / T / H / V |
|   | EXPLERO ICE W681    | 16–18 in · 60 - 70 series | T             |
|  | EXPLERO A/S PT411   | 15–20 in · 50 - 75 series | H / T / V     |

FULL SIZE INDEX

EXPLERO WINTER W671

15"

205/70 R15 TL 96T  
215/70 R15 TL 98H  
215/80 R15 TL 102S  
235/75 R15 REINFORCED TL 109T

16"

205/80 R16 REINFORCED TL 104T  
215/70 R16 TL REINFORCED 104H  
225/70 R16 REINFORCED TL 107H  
235/70 R16 TL 106T  
245/70 R16 REINFORCED TL 111T  
255/70 R16 TL 111T  
265/70 R16 TL 112T

17"

215/60 R17 REINFORCED TL 100H  
215/65 R17 TL 99H  
225/60 R17 REINFORCED TL 103V  
225/65 R17 REINFORCED TL 106H  
235/55 R17 REINFORCED TL 103V  
235/60 R17 REINFORCED TL 106H  
235/65 R17 REINFORCED TL 108V  
245/65 R17 REINFORCED TL 111H  
255/60 R17 REINFORCED TL 110V  
255/65 R17 REINFORCED TL 114H  
265/65 R17 REINFORCED TL 116H

EXPLERO ICE W681

16"

215/65 R16 TL REINFORCED 102T  
245/70 R16 TL REINFORCED 111T  
255/70 R16 TL 111T  
265/70 R16 TL 112T

EXPLERO A/S PT411

15"

205/70 R15 96H  
215/70 R15 TL 98H  
235/75 R15 TL 105H

18"

215/55 R18 TL 95H  
225/55 R18 TL REINFORCED 102H  
225/60 R18 REINFORCED TL 104V  
235/50 R18 REINFORCED TL 101V  
235/55 R18 REINFORCED TL 104H  
235/60 R18 REINFORCED TL 107H  
245/60 R18 TL 105H  
255/55 R18 REINFORCED TL 109V  
255/60 R18 REINFORCED TL 112H  
265/60 R18 REINFORCED TL 114H  
255/55 RF18 P-RFT TL REINFORCED 109H

19"

205/55 R19 TL REINFORCED 97H  
225/45 R19 REINFORCED TL 96V  
225/55 R19 TL 99H  
235/50 R19 REINFORCED TL 103V  
235/55 R19 REINFORCED TL 105V  
245/55 R19 TL 103H  
255/50 R19 REINFORCED TL 107V  
255/55 R19 REINFORCED TL 111V  
275/55 R19 TL 111H  
285/45 R19 REINFORCED TL 111H  
255/50 RF19 P-RFT REINFORCED TL 107V

20"

245/50 R20 TL 102V  
265/50 R20 REINFORCED TL 111H  
275/40 R20 REINFORCED TL 106V  
275/45 R20 REINFORCED TL 110V  
315/35 R20 REINFORCED TL 110V  
275/40 RF20 P-RFT TL REINFORCED 106V  
315/35 RF20 P-RFT TL REINFORCED 110V

17"

215/60 R17 TL REINFORCED 100T

18"

265/60 R18 TL REINFORCED 114T

16"

215/60 R16 TL 95H  
215/65 R16 REINFORCED TL 102H  
215/65 R16 TL 98H  
215/70 R16 TL 100H  
225/70 R16 REINFORCED TL 107T  
235/60 R16 TL 100H  
235/70 R16 TL 106H  
245/70 R16 TL 107H  
255/65 R16 TL 109H  
255/70 R16 TL 111T  
265/70 R16 TL 112T

17"

215/65 R17 TL 99H  
225/60 R17 REINFORCED TL 103H  
225/65 R17 TL 102H  
235/65 R17 REINFORCED TL 108H  
245/65 R17 REINFORCED TL 111H  
255/65 R17 TL 110H  
265/65 R17 TL 112H

18"

255/60 R18 REINFORCED TL 112V  
265/70 R18 TL 116H  
285/60 R18 TL 116V

20"

275/60 R20 TL 115H  
285/50 R20 TL 112V



**petlas**

**ALL-SEASON** 2 MODELS  
**PASSENGER & SUV**

One set for the whole year — balanced traction in every condition.





|                                                                                     | MODEL                 | SIZES                        | SPEED INDEX          |
|-------------------------------------------------------------------------------------|-----------------------|------------------------------|----------------------|
|   | Multi Action<br>PT565 | 13–20 in · 35<br>- 70 series | T / H / V /<br>W / Y |
|  | SuvMaster<br>A/S      | 17–19 in · 45<br>- 65 series | W / V                |

FULL SIZE INDEX

MULTI ACTION PT565

13"

155/70 R13 TL 75T  
165/70 R13 TL 79T  
175/70 R13 TL 82T

14"

175/65 R14 TL 82T  
175/70 R14 TL 84T  
185/55 R14 TL 80H  
185/60 R14 TL 82H  
185/65 R14 TL 86T

15"

175/65 R15 TL 84H  
185/55 R15 TL REINFORCED 86H  
185/60 R15 TL REINFORCED 88H  
185/65 R15 TL 88H  
185/65 R15 TL 88T  
185/65 R15 TL REINFORCED 92H  
195/50 R15 TL 82V  
195/55 R15 TL 85H  
195/60 R15 TL 88H  
195/65 R15 TL 91H  
195/65 R15 TL REINFORCED 95H  
205/65 R15 TL 94H

16"

195/45 R16 TL REINFORCED 84V  
195/50 R16 TL REINFORCED 88V  
195/55 R16 TL 87H  
205/55 R16 TL 91H  
205/55 R16 TL 91V  
205/55 R16 TL REINFORCED 94V  
205/60 R16 TL 92V  
205/60 R16 TL REINFORCED 96V  
205/65 R16 TL 95H  
215/45 R16 TL REINFORCED 90V  
215/55 R16 TL REINFORCED 97V  
215/60 R16 TL REINFORCED 99V  
215/65 R16 TL REINFORCED 102V  
225/55 ZR16 TL REINFORCED 99W

17"

205/45 ZR17 TL REINFORCED 88W  
205/50 ZR17 TL REINFORCED 93W  
205/55 ZR17 TL REINFORCED 95W  
215/45 ZR17 TL REINFORCED 91W  
215/50 ZR17 TL REINFORCED 95W  
215/55 ZR17 TL REINFORCED 98W  
225/45 ZR17 TL REINFORCED 94W  
225/50 R17 TL REINFORCED 98V  
225/55 ZR17 TL REINFORCED 101W  
235/45 ZR17 TL REINFORCED 97W  
235/55 ZR17 TL REINFORCED 103W  
245/40 ZR17 TL REINFORCED 95Y  
245/45 ZR17 TL REINFORCED 99Y

18"

225/40 ZR18 TL REINFORCED 92W  
225/45 ZR18 TL REINFORCED 95W  
225/45 ZR18 TL REINFORCED 95Y  
235/40 ZR18 TL REINFORCED 95Y  
235/45 ZR18 TL REINFORCED 98W  
245/40 ZR18 TL REINFORCED 97Y  
245/45 ZR18 TL REINFORCED 100W

19"

225/45 R19 TL REINFORCED 96W  
235/35 ZR19 TL REINFORCED 91Y  
235/40 ZR19 TL REINFORCED 96Y  
245/35 ZR19 TL REINFORCED 93Y  
255/35 ZR19 TL REINFORCED 96Y

20"

195/55 R20 TL REINFORCED 95H

SUVMASTER A/S

17"

215/60 R17 TL REINFORCED 100V  
215/65 R17 TL REINFORCED 103V  
235/65 R17 TL REINFORCED 108W

18"

215/50 R18 TL 92W  
215/55 R18 TL REINFORCED 99V  
225/55 R18 TL REINFORCED 102V  
225/60 R18 TL REINFORCED 104W  
235/50 R18 TL REINFORCED 101W  
235/55 R18 TL REINFORCED 104V  
235/60 R18 TL REINFORCED 107W  
255/55 R18 TL REINFORCED 109W

19"

235/45 R19 TL REINFORCED 99W  
235/55 R19 TL REINFORCED 105W  
245/45 R19 TL REINFORCED 102W



LIGHT COMMERCIAL

**petlas**

# ***LIGHT COMMERCIAL***

Van and light truck tyres built for load, mileage and every season.

WINTER

SUMMER

ALL-SEASON





**petlas**

**SUMMER** 4 MODELS  
**LIGHT COMMERCIAL**

Precise handling and short braking on hot, dry  
and wet asphalt.





| MODEL                                                                               | SIZES                                                         |
|-------------------------------------------------------------------------------------|---------------------------------------------------------------|
|   | <div><div>FULLPOWER PT825 PLUS</div><div>12–16 in</div></div> |
|  | <div><div>FULLPOWER PT825</div><div>15 in</div></div>         |

| FULL SIZE INDEX             |                                |                                |
|-----------------------------|--------------------------------|--------------------------------|
| FULLPOWER PT825 PLUS        |                                |                                |
| 12"                         | 15"                            | 16"                            |
| 5.00 R12 C TL 83/81 P 8PR   | 185 R15 C TL 103/102 R 8PR     | 175/75 R16 C TL 101/99 R 8PR   |
| 155 R12 C TL 88/86 N 8PR    | 195/70 R15 C TL 104/102 R 8PR  | 185/75 R16 C TL 104/102 R 8PR  |
| 13"                         | 205/70 R15 C TL 106/104 R 8PR  | 195/75 R16 C TL 107/105 R 8PR  |
| 155 R13 C TL 90/89 R 8PR    | 215/70 R15 C TL 109/107 S 8PR  | 205/75 R16 C TL 110/108 R 8PR  |
| 14"                         | 225/70 R15 C TL 112/110 R 8PR  | 205/75 R16 C TL 113/111 R 10PR |
| 185 R14 C TL 102/100 R 8PR  | 225/70 R15 C TL 116/114 R 10PR | 215/75 R16 C TL 113/111 R 8PR  |
| 195 R14 C TL 106/104 R 8PR  | 205/65 R15 C TL 102/100 T 8PR  | 215/75 R16 C TL 116/114 R 10PR |
| 205 R14 C TL 109/107 P 8PR  |                                | 225/75 R16 C TL 118/116 R 10PR |
| 215 R14 C TL 112/110 P 8PR  |                                | 205/65 R16 C TL 107/105 T 8PR  |
| 165/70 R14 C TL 89/87 R 6PR |                                | 215/65 R16 C TL 109/107 R 8PR  |
|                             |                                | 225/65 R16 C TL 112/110 R 8PR  |
|                             |                                | 235/65 R16 C TL 115/113 R 8PR  |
|                             |                                | 235/65 R16 C TL 121/119 R 12PR |
| FULLPOWER PT825             |                                |                                |
| 15"                         |                                |                                |
| 195 R15 C TL 106/104 R 8PR  |                                |                                |



|                                                                                     | MODEL           | SIZES                     | SPEED INDEX |
|-------------------------------------------------------------------------------------|-----------------|---------------------------|-------------|
|   | FULLPOWER PT835 | 15–16 in · 60 - 75 series | R / T / N   |
|  | FULLPOWER PT845 | 14 in                     |             |

FULL SIZE INDEX

FULLPOWER PT835

15"

215/65 R15 C TL 104/102 T 6PR  
225/70 R15 C TL 112/110 R 8PR

16"

195/60 R16 C TL 99/97 T 6PR  
195/65 R16 C TL 104/102 T 8PR  
205/65 R16 C TL 107/105 T 8PR  
205/75 R16 C TL 110/108 R 8PR  
215/65 R16 C TL 109/107 T 8PR  
215/75 R16 C TL 113/111 R 8PR  
215/75 R16 C TL 116/114 R 10PR  
235/65 R16 C TL 115/113 R 8PR  
235/65 R16 C TL 121/119 R 12PR  
285/65 R16 C TL 128 N 10PR

FULLPOWER PT845

14"

175/65 R14 C TL 90/88 T 6PR



**petlas**

**WINTER** 2 MODELS  
**LIGHT COMMERCIAL**

Confident grip on snow, ice and cold wet roads.





|                                                                                     | MODEL          | SIZES                  | SPEED INDEX |
|-------------------------------------------------------------------------------------|----------------|------------------------|-------------|
|   | FULLGRIP PT925 | 12–16 in · ≤ 75 series | N / R / T   |
|  | FULLGRIP PT935 | 12–17 in · ≤ 75 series | N / R / T   |

FULL SIZE INDEX

FULLGRIP PT925

- 12" 155 R12 C TL 88/86 N 8PR
- 13" 155 R13 C TL 90/89 N 8PR
- 14" 185 R14 C TL 102/100 R 8PR 195 R14 C TL 106/104 R 8PR
- 15" 195/70 R15 C TL 104/102 R 8PR 205/65 R15 C TL 102/100 T 8PR 205/70 R15 C TL 106/104 R 8PR 215/70 R15 C TL 109/107 R 8PR

- 16" 175/75 R16 C TL 101/99 R 8PR 185/75 R16 C TL 104/102 R 8PR 195/60 R16 C TL 99/97 T 6PR 195/75 R16 C TL 107/105 R 8PR 205/65 R16 C TL 107/105 T 8PR 205/75 R16 C TL 110/108 R 8PR 215/65 R16 C TL 109/107 R 8PR 215/75 R16 C TL 113/111 R 8PR 225/65 R16 C TL 112/110 R 8PR 225/75 R16 C TL 118/116 R 10PR 225/75 R16 C TL 118/116 R 8PR 235/65 R16 C TL 115/113 R 8PR

FULLGRIP PT935

- 12" 155 R12 C TL 88/86 N 8PR
- 13" 155 R13 C TL 90/89 N 8PR
- 14" 185 R14 C TL 102/100 R 8PR 195 R14 C TL 106/104 R 8PR
- 15" 195/70 R15 C TL 104/102 R 8PR 205/65 R15 C TL 102/100 T 8PR 205/70 R15 C TL 106/104 R 8PR 215/65 R15 C TL 104/102 T 6PR 215/70 R15 C TL 109/107 R 8PR 225/70 R15 C TL 112/110 R 8PR

- 16" 185/75 R16 C TL 104/102 R 8PR 195/60 R16 C TL 99/97 T 6PR 195/65 R16 C TL 104/102 T 8PR 195/75 R16 C TL 107/105 R 8PR 205/65 R16 C TL 107/105 T 8PR 205/75 R16 C TL 113/111 R 10PR 215/65 R16 C TL 109/107 R 8PR 215/75 R16 C TL 116/114 R 10PR 225/65 R16 C TL 112/110 R 8PR 225/75 R16 C TL 118/116 R 10PR 225/75 R16 C TL 118/116 R 8PR 235/65 R16 C TL 115/113 R 8PR 235/65 R16 C TL 121/119 R 12PR 285/65 R16 C TL 128 N 10PR

- 17" 215/60 R17 C TL 109/107 T 8PR



**petlas**

**ALL-SEASON** 1 MODEL  
**LIGHT COMMERCIAL**

One set for the whole year — balanced traction in every condition.





|                                                                                    | MODEL           | SIZES                     | SPEED INDEX      |
|------------------------------------------------------------------------------------|-----------------|---------------------------|------------------|
|  | VanMaster A/S + | 12–17 in<br>· ≤ 75 series | R / N /<br>T / S |
| FULL SIZE INDEX                                                                    |                 |                           |                  |
| VANMASTER A/S +                                                                    |                 |                           |                  |
| 12"                                                                                |                 |                           |                  |
| 155 R12 C TL 88/86 N 8PR                                                           |                 |                           |                  |
| 13"                                                                                |                 |                           |                  |
| 155 R13 C TL 90/89 R 8PR                                                           |                 |                           |                  |
| 14"                                                                                |                 |                           |                  |
| 185 R14 C TL 102/100 R 8PR                                                         |                 |                           |                  |
| 195 R14 C TL 106/104 R 8PR                                                         |                 |                           |                  |
| 15"                                                                                |                 |                           |                  |
| 195/70 R15 C TL 104/102 R 8PR                                                      |                 |                           |                  |
| 205/70 R15 C TL 106/104 R 8PR                                                      |                 |                           |                  |
| 215/65 R15 C TL 104/102 T 6PR                                                      |                 |                           |                  |
| 215/70 R15 C TL 109/107 S 8PR                                                      |                 |                           |                  |
| 225/70 R15 C TL 116/114 R 10PR                                                     |                 |                           |                  |
| 16"                                                                                |                 |                           |                  |
| 185/75 R16 C TL 104/102 R 8PR                                                      |                 |                           |                  |
| 195/60 R16 C TL 99/97 T 6PR                                                        |                 |                           |                  |
| 195/75 R16 C TL 107/105 R 8PR                                                      |                 |                           |                  |
| 205/65 R16 C TL 107/105 T 8PR                                                      |                 |                           |                  |
| 205/75 R16 C TL 113/111 R 10PR                                                     |                 |                           |                  |
| 215/65 R16 C TL 109/107 T 8PR                                                      |                 |                           |                  |
| 215/75 R16 C TL 116/114 R 10PR                                                     |                 |                           |                  |
| 225/65 R16 C TL 112/110 R 8PR                                                      |                 |                           |                  |
| 225/75 R16 C TL 118/116 R 10PR                                                     |                 |                           |                  |
| 235/65 R16 C TL 121/119 R 12PR                                                     |                 |                           |                  |
| 285/65 R16 C TL 131 R 12PR                                                         |                 |                           |                  |
| 17"                                                                                |                 |                           |                  |
| 215/60 R17 C TL 109/107 T 8PR                                                      |                 |                           |                  |



STEER & DRIVE

**petlas**  
***TRUCK & BUS***  
Built for the long haul, mile after mile





| MODEL                                                                                                                        | SIZES                         |
|------------------------------------------------------------------------------------------------------------------------------|-------------------------------|
|  <div><b>SZ300</b> REGIONAL</div>           | 17.5 in · ≤ 75 series         |
|  <div><b>RZ300</b> REGIONAL</div>          | 17.5–19.5 in · ≤ 75 series    |
|  <div><b>PROGREEN NH100</b> TRAILER</div> | 17.5–19.5 in · 70 - 75 series |

FULL SIZE INDEX

**SZ300**

**17.5"**

215/75 R17.5  
225/75 R17.5  
235/75 R17.5

**RZ300**

**17.5"**

215/75 R17.5  
225/75 R17.5  
235/75 R17.5

**19.5"**

245/70 R19.5

**PROGREEN NH100**

**17.5"**

215/75 R17.5  
235/75 R17.5  
245/70 R17.5

**19.5"**

245/70 R19.5  
265/70 R19.5  
285/70 R19.5



| MODEL                                                                               | SIZES                                   |                               |
|-------------------------------------------------------------------------------------|-----------------------------------------|-------------------------------|
|    | <b>NZ305</b> <b>TRAILER</b>             | 17.5–22.5 in · 65 - 75 series |
|   | <b>SH100</b> <b>LONG HAUL · TRAILER</b> | 19.5–22.5 in · 70 - 80 series |
|  | <b>RH100</b> <b>LONG HAUL</b>           | 19.5–22.5 in · ≤ 80 series    |

FULL SIZE INDEX

NZ305

17.5"  
215/75 R17.5  
235/75 R17.5

22.5"  
385/65 R22.5

SH100

19.5"  
245/70 R19.5  
265/70 R19.5  
285/70 R19.5

22.5"  
295/80 R22.5  
315/80 R22.5

RH100

19.5"  
265/70 R19.5  
285/70 R19.5

22.5"  
11 R22.5  
12 R 22.5  
295/60 R22.5  
315/60 R22.5  
315/70 R22.5  
315/80 R22.5



| MODEL                                                                                                                                                          | SIZES                         |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------|
| <div><div><div>PROGREEN SH110</div><div>LONG HAUL · TRAILER</div></div></div> | 19.5–22.5 in · 60 - 80 series |
| <div><div><div>SU500</div><div>URBAN</div></div></div>                       | 22.5 in · 70 - 70 series      |
| <div><div><div>SUW550</div><div>URBAN</div></div></div>                     | 22.5 in · 70 - 70 series      |

FULL SIZE INDEX

PROGREEN SH110

19.5"

285/70 R19.5

22.5"

295/60 R22.5

295/80 R22.5

315/60 R22.5

315/70 R22.5

315/80 R22.5

SU500

22.5"

275/70 R22.5

SUW550

22.5"

275/70 R22.5



| MODEL                                                                                                                             | SIZES                    |
|-----------------------------------------------------------------------------------------------------------------------------------|--------------------------|
|  <div>RUW550 <span>URBAN</span></div>            | 22.5 in · 70 - 70 series |
|  <div>PRO URBAN RU 500 <span>URBAN</span></div> | 22.5 in · 70 - 70 series |
|  <div>SH105 <span>LONG HAUL</span></div>       | 22.5 in                  |

FULL SIZE INDEX

RUW550

22.5"

275/70 R22.5

PRO URBAN RU 500

22.5"

275/70 R22.5 RU500 TL 150/145 J  
(152/148 E)

SH105

22.5"

11 R22.5

12 R 22.5



| MODEL                                                                                                                                        | SIZES                 |
|----------------------------------------------------------------------------------------------------------------------------------------------|-----------------------|
|  <div>SC700 <span>MIXED SERVICE (ON-OFF)</span></div>       | 22.5 in · ≤ 80 series |
|  <div>RC700 PLUS <span>MIXED SERVICE (ON-OFF)</span></div> | 22.5 in · ≤ 80 series |
|  <div>RM905 <span>OFF ROAD</span></div>                   | 22.5 in               |

FULL SIZE INDEX

SC700

- 22.5"
- 12 R22.5
- 13 R22.5
- 315/80 R22.5

RC700 PLUS

- 22.5"
- 12 R22.5
- 295/80 R22.5
- 315/80 R22.5

RM905

- 22.5"
- 13 R22.5



| MODEL                                                                               |                                                  | SIZES                    |
|-------------------------------------------------------------------------------------|--------------------------------------------------|--------------------------|
|    | <b>SY800</b> <span>MIXED SERVICE (ON-OFF)</span> | 22.5–24 in · ≤ 80 series |
|   | <b>SC710</b> <span>MIXED SERVICE (ON-OFF)</span> | 22.5–24 in · ≤ 80 series |
|  | <b>SH COACH</b> <span>COACH</span>               | 22.5 in · 80 - 80 series |

FULL SIZE INDEX

**SY800**

**22.5"**

13 R22.5  
295/80 R22.5  
315/80 R22.5

**24"**

12.00 R24

**SC710**

**22.5"**

315/80 R22.5

**24"**

12.00 R24

**SH COACH**

**22.5"**

295/80 R22.5 TL 154/150 M



| MODEL                                                                                                                     | SIZES                         |
|---------------------------------------------------------------------------------------------------------------------------|-------------------------------|
|  <div>RH COACH <span>COACH</span></div>  | 22.5 in · 80 - 80 series      |
|  <div>RH100 PLUS</div>                  | 22.5 in · 80 - 80 series      |
|  <div>NZ300 <span>TRAILER</span></div> | 19.5–22.5 in · 50 - 65 series |

FULL SIZE INDEX

**RH COACH**

**22.5"**  
295/80 R22.5 TL 154/150 M

**RH100 PLUS**

**22.5"**  
295/80 R22.5

**NZ300**

**19.5"**  
435/50 R19.5

**22.5"**  
385/55 R22.5  
385/65 R22.5



| MODEL                                                                                                                                      | SIZES                    |
|--------------------------------------------------------------------------------------------------------------------------------------------|--------------------------|
|  <div><div>NZ310</div><div>TRAILER</div></div>            | 22.5 in · 65 - 65 series |
|  <div><div>NCW710</div><div>TRAILER (ON-OFF)</div></div> | 22.5 in · 65 - 65 series |
|  <div><div>PD-40</div></div>                            |                          |

FULL SIZE INDEX

NZ310

22.5"

385/65 R22.5 TL 164 K

NCW710

22.5"

385/65 R22.5

PD-40

20"

9.00-20

10.00-20

11.00-20

12.00-20

24"

12.00-24



| MODEL                                                                                                         |
|---------------------------------------------------------------------------------------------------------------|
| <div><div>PA-40</div></div>  |
| <div><div>PA-80</div></div> |

FULL SIZE INDEX

PA-40

20"

9.00-20  
10.00-20  
11.00-20  
12.00-20

24"

12.00-24

PA-80

20"

12.00-20



| MODEL                                                                                         | SIZES                                                                                  |
|-----------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------|
| <div></div>  | <div><div>SR750</div><div>REGIONAL</div><div>22.5–24.5 in · 70 - 75 series</div></div> |
| <div></div> | <div><div>DR820</div><div>REGIONAL</div><div>22.5–24.5 in · 75 series</div></div>      |

FULL SIZE INDEX

SR750

22.5"

11 R22.5 146/143L  
11 R22.5 144/142M  
255/70 R22.5 140/137M  
295/75 R22.5 146/143L  
295/75 R22.5 144/141M

24.5"

11 R24.5 149/146L

DR820

22.5"

11 R22.5 144/142M  
11 R22.5 146/143L  
295/75 R22.5 144/141M  
295/75 R22.5 146/143L

24.5"

11 R24.5 149/146L



FIELD POWER

**petlas**  
**AGRICULTURAL  
TIRES**

Traction and stability for every field operation





| MODEL                                                                               |       |
|-------------------------------------------------------------------------------------|-------|
|    | PA-20 |
|   | NB-37 |
|  | PA-30 |
|  | NT-3  |

FULL SIZE INDEX

|              |            |
|--------------|------------|
| <b>PA-20</b> |            |
| <b>16"</b>   | <b>20"</b> |
| 7.50-16      | 8.25-20    |
| <b>NB-37</b> |            |
| <b>16"</b>   |            |
| 7.50-16      |            |
| <b>PA-30</b> |            |
| <b>16"</b>   |            |
| 7.50-16      |            |
| <b>NT-3</b>  |            |
| <b>16"</b>   |            |
| 9.00-16      |            |





| MODEL                                                                               |            |
|-------------------------------------------------------------------------------------|------------|
|    | UN-5       |
|   | UN-7       |
|  | UN-3       |
|  | UN1 (3RIB) |

FULL SIZE INDEX

UN-5

12"  
10.0/80-12

UN-7

14"  
9.5L-14SL

15"  
9.5L-15SL  
11L-15SL  
12.5L-15SL

UN-3

12"  
10.0/80-12

15.3"  
260/70-15.3  
10.0/75-15.3  
11.5/80-15.3  
12.5/80-15.3

UN1 (3RIB)

16"  
7.50-16





| MODEL                                                                               |                    |
|-------------------------------------------------------------------------------------|--------------------|
|    | UN-1 (5 RIB)       |
|   | UN-4               |
|  | STB-3              |
|  | TA-60 FRONT & REAR |

FULL SIZE INDEX

UN-1 (5 RIB)

**15.3"**  
10.0/75-15.3  
11.5/80-15.3  
12.5/80-15.3  
**15.5"**  
400/60-15.5

**16"**  
10.5/65-16  
340/55-16  
**17"**  
15.0/55-17  
19.0/45-17  
500/50-17

**18"**  
10.5/80-18  
12.5/80-18  
13.0/65-18

UN-4

**15.3"**  
10.0/75-15.3 10PR  
10.0/75-15.3 12PR  
10.0/75-15.3 14PR

STB-3

**15.3"**  
10.0/75-15.3

TA-60 FRONT & REAR

**24"**  
8.3-24  
9.5-24  
11.2-24  
12.4-24  
13.6-24  
14.9-24  
**26"**  
18.4-26

**28"**  
11.2-28  
12.4-28  
13.6-28  
14.9-28  
16.9-28  
**30"**  
14.9-30  
16.9-30  
18.4-30

**32"**  
12.4-32  
**34"**  
16.9-34  
18.4-34  
**36"**  
12.4-36



| MODEL                                                                               |        |
|-------------------------------------------------------------------------------------|--------|
|    | IMF-18 |
|   | NT-30  |
|  | UN-11  |
|  | NB-27  |

FULL SIZE INDEX

IMF-18

**15.3"**  
12.5/80-15.3  
**15.5"**  
400/60-15.5

**22.5"**  
500/60-22.5  
550/60-22.5  
600/50-22.5

NT-30

**16"**  
9.00-16

UN-11

**17"**  
500/50-17

NB-27

**20"**  
9.00-20



| MODEL                                                                               |             |
|-------------------------------------------------------------------------------------|-------------|
|    | UN-9 (REAR) |
|   | HLT-45      |
|  | IMT-18      |
|  | IMT-08      |

FULL SIZE INDEX

UN-9 (REAR)

20"  
16.0/70-20  
400/70-20

HLT-45

19.5"  
285/70 R19.5

IMT-18

15.5"  
400/60-15.5

22.5"  
500/60-22.5  
550/60-22.5  
600/50-22.5

IMT-08

15.5"  
400/60-15.5

22.5"  
500/60-22.5  
550/60-22.5  
600/50-22.5

| MODEL                                                                               |         |
|-------------------------------------------------------------------------------------|---------|
|    | PT-FLOT |
|   | PT-HAUL |
|  | TA-50   |
|  | TD-16   |

FULL SIZE INDEX

PT-FLOT

**22.5"**  
560/60 R22.5 STEEL BELT  
560/45 R22.5 STEEL BELT

**26.5"**  
600/55 R26.5 STEEL BELT  
650/55 R26.5 STEEL BELT  
710/50 R26.5 STEEL BELT

PT-HAUL

**22.5"**  
560/60 R22.5 STEEL BELT

TA-50

**12"**  
6.5/80-12

**13"**  
6.5/80-13

TD-16

**16"**  
5.50-16  
6.00-16  
6.50-16  
7.50-16

**19"**  
6.00-19  
**20"**  
6.50-20  
7.50-20



| MODEL                                                                               |       |
|-------------------------------------------------------------------------------------|-------|
|    | TP-8  |
|   | TD-25 |
|  | TD-17 |
|  | TD-18 |

FULL SIZE INDEX

TP-8

16"  
6.00-16  
7.50-16

TD-25

16"  
6.00-16  
6.50-16  
7.50-16

TD-17

16"  
6.00-16  
7.50-16  
9.00-16  
10.00-16  
11.00-16

TD-18

16"  
6.50-16

18"  
7.50-18

20"  
7.50-20



| MODEL                                                                               |          |
|-------------------------------------------------------------------------------------|----------|
|    | TD-35    |
|   | P-IRG 80 |
|  | TZ-13    |
|  | TA-300   |

FULL SIZE INDEX

TD-35

**16"**  
10.00-16

P-IRG 80

**24"**  
14.9/13-24

**38"**  
11.2/10-38

TZ-13

**28"**  
12.4-28

**30"**  
16.9-30 10PR  
16.9-30 12PR

TA-300

**24"**  
9.5-24  
11.2-24  
12.4-24  
13.6-24  
14.9-24

**28"**  
12.4-28  
13.6-28  
14.9-28  
**30"**  
14.9-30  
16.9-30  
18.4-30

**34"**  
16.9-34  
18.4-34  
**36"**  
12.4-36  
13.6-36  
**38"**  
16.9-38



| MODEL                                                                               |                        |
|-------------------------------------------------------------------------------------|------------------------|
|    | TA-330                 |
|   | BD-60 (FRONT)          |
|  | BD-65 (FRONT)          |
|  | TA-130 AGROPER (FRONT) |

FULL SIZE INDEX

TA-330

32"

30.5L-32

BD-60 (FRONT)

30"

18.4-30

BD-65 (FRONT)

26"

23.1-26

30"

23.1-30

38"

20.8-38

TA-130 AGROPER (FRONT)

26"

620/75 R26

620/75 R26 REINFORCED

30"

620/75 R30

620/75 R30 REINFORCED

32"

650/75 R32

650/75 R32 REINFORCED

800/65 R32

800/65 R32 REINFORCED

| MODEL                                                                              |                       |
|------------------------------------------------------------------------------------|-----------------------|
|   | PB-140 AGROPER (REAR) |
|  | TA-110                |

FULL SIZE INDEX

PB-140 AGROPER (REAR)

20"

400/70 R20

TA-110

16"

200/70 R16

240/70 R16

260/70 R16

280/70 R16

18"

280/70 R18

20"

260/70 R20

260/80 R20

280/70 R20

280/85 R20

300/70 R20

320/70 R20

320/85 R20

360/70 R20

380/70 R20

24"

280/85 R24

320/70 R24

320/85 R24

340/85 R24

360/70 R24

380/70 R24

380/85 R24

420/65 R24

420/70 R24

420/85 R24

440/65 R24

480/65 R24

480/70 R24

540/65 R24

26"

480/70 R26

28"

280/85 R28

320/70 R28

320/85 R28

340/85 R28

360/70 R28

380/70 R28

380/85 R28

420/70 R28

420/85 R28

440/65 R28

480/65 R28

480/70 R28

540/65 R28

30"

380/85 R30

420/70 R30

420/85 R30

460/85 R30

480/70 R30

520/70 R30

540/65 R30

32"

320/85 R32

34"

380/85 R34

420/85 R34

460/85 R34

480/70 R34

520/70 R34

540/65 R34

600/65 R34

36"

320/85 R36

340/85 R36

38"

320/85 R38

340/85 R38

380/85 R38

420/85 R38

460/85 R38

460/85 R38 R/F

480/70 R38

480/80 R38

520/70 R38

520/85 R38

520/85 R38 R/F

540/65 R38

580/70 R38

600/65 R38

650/65 R38

650/85 R38

42"

480/80 R42

520/85 R42

520/85 R42 R/F

580/70 R42

46"

480/80 R46

520/85 R46

50"

480/80 R50



| MODEL                                                                               |             |
|-------------------------------------------------------------------------------------|-------------|
|    | TA-120      |
|   | TA-110 Plus |
|  | TA-130      |

FULL SIZE INDEX

TA-120

**32"**  
210/95 R32  
230/95 R32  
270/95 R32  
**36"**  
210/95 R36  
230/95 R36  
**38"**  
270/95 R38

**44"**  
210/95 R44  
230/95 R44  
270/95 R44  
**46"**  
300/95 R46  
380/90 R46

**48"**  
230/95 R48  
270/95 R48  
340/85 R48  
**52"**  
300/95 R52  
**54"**  
270/95 R54

TA-110 PLUS

**38"**  
650/65 R38  
650/85 R38

TA-130

**28"**  
600/65R28  
600/70 R28  
**30"**  
600/70 R30

**34"**  
600/70 R34  
**38"**  
710/70 R38  
800/70 R38

**42"**  
600/65R42  
620/70 R42  
650/65 R42  
710/70 R42

| MODEL                                                                              |           |
|------------------------------------------------------------------------------------|-----------|
|   | TA-130 IF |
|  | TA-140    |

FULL SIZE INDEX

TA-130 IF

30"  
IF600/70 R30

38"  
IF800/70 R38

TA-140

28"  
340/85 R28 \*\*



HEAVY SITE WORK


**petlas**

# ***OFF THE ROAD & INDUSTRIAL***

Engineered for the toughest terrain





| MODEL                                                                               |                |
|-------------------------------------------------------------------------------------|----------------|
|    | TA-60          |
|   | PC-1           |
|  | Ptx MD51 (L-5) |
|  | Ptx ND31       |

FULL SIZE INDEX

TA-60

24"  
15.5/80-24 R/F

PC-1

20"  
13.0/80 R20

PTX MD51 (L-5)

20"  
9.00 R20  
12.00 R20

PTX ND31

18"  
340/80R18 (12.5/80R18)  
20"  
340/80 R20 (12.5 R20)  
400/70 R20  
405/70 R20

24"  
440/80R24 (16.9R24)  
460/70 R24 (17.5LR24)  
26"  
480/80 R26 (18.4 R26)

28"  
440/80R28 (16.9R28)



| MODEL                                                                               |                     |
|-------------------------------------------------------------------------------------|---------------------|
|    | Ptx ND33            |
|   | Ptx TERMINAL        |
|  | Ptx RD22 (L-2/ E-2) |
|  | Ptx RD22 (G-2)      |

FULL SIZE INDEX

PTX ND33

24"

460/70 R24 (17.5LR24)

PTX TERMINAL

22.5"

310/80 R22.5

PTX RD22 (L-2/ E-2)

24"

14.00 R24

PTX RD22 (G-2)

24"

14.00 R24 TG

| MODEL                                                                               |                      |
|-------------------------------------------------------------------------------------|----------------------|
|    | Ptx RD32 (L-2)       |
|   | Ptx RD31 (E-3 / L-3) |
|  | Ptx RD31 (L-3/G-3)   |
|  | Ptx CD21 (E-2)       |

FULL SIZE INDEX

PTX RD32 (L-2)

24"

14.00 R24

PTX RD31 (E-3 / L-3)

25"

17.5 R25

20.5 R25

23.5 R25

26.5 R25

29.5 R25

PTX RD31 (L-3/G-3)

25"

17.5 R25

PTX CD21 (E-2)

25"

445/95 R25



| MODEL                                                                               |                      |
|-------------------------------------------------------------------------------------|----------------------|
|    | Ptx RD35 (E-3)       |
|   | Ptx HD41 (E-4 / L-4) |
|  | Ptx TD41 (L-4/E-4)   |
|  | Ptx TD32+ (L-3/E-3)  |

FULL SIZE INDEX

**PTX RD35 (E-3)**

**25"**

650/65 R25

**PTX HD41 (E-4 / L-4)**

**25"**

26.5 R25

29.5 R25

**PTX TD41 (L-4/E-4)**

**25"**

26.5 R25

29.5 R25

**PTX TD32+ (L-3/E-3)**

**25"**

29.5 R25

| MODEL                                                                               |          |
|-------------------------------------------------------------------------------------|----------|
|    | Ptx RD34 |
|   | IND-15   |
|  | TD45     |

FULL SIZE INDEX

PTX RD34

29"  
33.25 R29

IND-15

15.3"  
10.0/75-15.3  
11.5/80-15.3  
18"  
10.5/80-18  
12.5/80-18  
280/80-18

20"  
16.0/70-20  
405/70-20  
14.5-20  
24"  
16.0/70-24  
405/70-24

26"  
18.4-26  
480/80-26  
23.1-26  
28"  
16.9-28  
16.5/85-28

TD45

16"  
11L-16 SL



| MODEL                                                                               |        |
|-------------------------------------------------------------------------------------|--------|
|    | IND-35 |
|   | IND-40 |
|  | IND-25 |
|  | IND-30 |

FULL SIZE INDEX

IND-35

16.5"  
10-16.5 NHS  
12-16.5 NHS

IND-40

16.5"  
10-16.5 NHS  
12-16.5 NHS

IND-25

18"  
12.5/80-18  
340/80-18  
20"  
14.5-20  
16.0/70-20  
405/70-20

IND-30

20"  
16.0/70-20

24"  
16.9-24  
16.0/70-24  
405/70-24  
440/80-24  
16.5/85-24  
19.5L-24

26"  
18.4-26  
28"  
16.5/85-28  
16.9-28  
440/80-28

| MODEL                                                                               |       |
|-------------------------------------------------------------------------------------|-------|
|    | NB-38 |
|   | PL-2  |
|  | IND-5 |
|  | FLT-2 |

FULL SIZE INDEX

NB-38

20"  
7.50-20  
9.00-20  
10.00-20

PL-2

25"  
15.5-25

IND-5

26"  
18.4-26

FLT-2

26"  
23.1-26

30"  
16.9-30





| MODEL                                                                               |              |
|-------------------------------------------------------------------------------------|--------------|
|    | PG-200 (G-2) |
|   | PG-300 (G-2) |
|  | NB-57 E-3    |
|  | NB-57 L-3    |

FULL SIZE INDEX

PG-200 (G-2)

24"

13.00-24

14.00-24

PG-300 (G-2)

24"

16.00-24

NB-57 E-3

24"

14.00-24

25"

17.5-25

20.5-25

23.5-25

NB-57 L-3

25"

17.5-25

20.5-25

23.5-25

| MODEL                                                                               |           |
|-------------------------------------------------------------------------------------|-----------|
|    | NB-60 L-3 |
|   | NB-60 E-3 |
|  | NB-70 L-3 |

FULL SIZE INDEX

NB-60 L-3

25"

17.5-25  
20.5-25  
23.5-25  
26.5-25  
29.5-25

NB-60 E-3

25"

17.5-25  
20.5-25  
23.5-25  
26.5-25  
16.00-25  
18.00-25

33"

18.00-33

NB-70 L-3

25"

15.5-25  
17.5-25  
20.5-25  
23.5-25  
26.5-25  
29.5-25



| MODEL                                                                               |                  |
|-------------------------------------------------------------------------------------|------------------|
|    | NB-70 L-4        |
|   | C+CARRIER        |
|  | C+CARRIER SMOOTH |
|  | Ptx ND32 IND-3   |

FULL SIZE INDEX

NB-70 L-4

25"

26.5-25

29.5-25

C+CARRIER

25"

18.00-25

C+CARRIER SMOOTH

25"

18.00-25

PTX ND32 IND-3

24"

14.00 R24

| MODEL                                                                               |             |
|-------------------------------------------------------------------------------------|-------------|
|    | NB-60 IND-3 |
|   | NB-70 E-4   |
|  | NB-70 E-3   |
|  | IND-20      |

FULL SIZE INDEX

NB-60 IND-3

33"  
18.00-33

NB-70 E-4

25"  
26.5-25  
29.5-25

NB-70 E-3

25"  
15.5-25  
17.5-25  
20.5-25  
23.5-25  
26.5-25  
29.5-25

IND-20

20"  
340/80-20 (12.5-20)





EXTREME DUTY

*petlas*  
***FORKLIFT***

Stability and load handling for industrial yards





| MODEL                                                                               |       |
|-------------------------------------------------------------------------------------|-------|
|    | HL-10 |
|   | HL-30 |
|  | HL-40 |

FULL SIZE INDEX

HL-10

8"  
4.00-8  
5.00-8  
18x7-8  
9"  
6.00-9  
21x8-9

10"  
6.50-10  
23x9-10  
12"  
7.00-12  
27x10-12

13"  
23x5-13  
15"  
8.15-15  
8.25-15

HL-30

8"  
16x6-8  
4.00-8  
5.00-8  
18x7-8  
9"  
21x8-9  
6.00-9

10"  
6.50-10  
23x9-10  
12"  
7.00-12  
27x10-12

15"  
7.50-15  
8.15-15  
250-15  
300-15  
Other  
23x5-(13)

HL-40

9"  
6.00-9  
10"  
6.50-10

12"  
7.00-12

15"  
8.15-15  
8.25-15



MODEL



SOLID ST



SOLID NM

FULL SIZE INDEX

SOLID ST

8"

4.00-8 (3.00-D) QUICK FIT  
4.00-8 (3.00-D) STANDARD FIT  
18x7-8 (4.33R-8) QUICK FIT  
18x7-8 (4.33R-8) STANDARD FIT  
5.00-8 (3.00D-8) QUICK FIT  
5.00-8 (3.00D-8) STANDARD FIT  
15x4.5-8 (3.25I-8) QUICK FIT  
15x4.5-8 (3.25I-8) STANDARD FIT  
16x6-8 (4.33R-8) QUICK FIT  
16x6-8 (4.33R-8) STANDARD FIT

9"

21x8-9 (6.00E-9) QUICK FIT  
21x8-9 (6.00E-9) STANDARD FIT  
6.00-9 (4.00E-9) QUICK FIT  
6.00-9 (4.00E-9) STANDARD FIT  
140/55-9 (4.00-E) QUICK FIT  
140/55-9 (4.00-E) STANDARD FIT

10"

6.50-10 (5.00F-10) QUICK FIT  
6.50-10 (5.00F-10) STANDARD FIT  
23x9-10 (6.50F-10) QUICK FIT  
23x9-10 (6.50F-10) STANDARD FIT  
200/50-10 (6.50F-10) QUICK FIT  
200/50-10 (6.50F-10) STANDARD FIT

12"

23x10-12 (8.00G-12) QUICK FIT  
23x10-12 (8.00G-12) STANDARD FIT  
27x10-12 (8.00G-12) QUICK FIT  
27x10-12 (8.00G-12) STANDARD FIT  
7.00-12 (5.00S-12) QUICK FIT  
7.00-12 (5.00S-12) STANDARD FIT

15"

250-15 (7.0-15) QUICK FIT  
250-15 (7.0-15) STANDARD FIT  
8.25-15 QUICK FIT  
8.25-15 STANDARD FIT  
8.15-15 (7.0-15) QUICK FIT  
8.15-15 (7.0-15) STANDARD FIT

SOLID NM

8"

4.00-8 QUICK FIT  
4.00-8 STANDARD FIT  
18x7-8 QUICK FIT  
18x7-8 STANDARD FIT  
5.00-8 QUICK FIT  
5.00-8 STANDARD FIT  
15x4.5-8 QUICK FIT  
15x4.5-8 STANDARD FIT  
16x6-8 QUICK FIT  
16x6-8 STANDARD FIT

9"

21x8-9 QUICK FIT  
21x8-9 STANDARD FIT  
6.00-9 QUICK FIT  
6.00-9 STANDARD FIT  
140/55-9 QUICK FIT  
140/55-9 STANDARD FIT

10"

6.50-10 QUICK FIT  
6.50-10 STANDARD FIT  
23x9-10 QUICK FIT  
23x9-10 STANDARD FIT  
200/50-10 QUICK FIT  
200/50-10 STANDARD FIT

12"

23x10-12 QUICK FIT  
23x10-12 STANDARD FIT  
27x10-12 QUICK FIT  
27x10-12 STANDARD FIT  
7.00-12 QUICK FIT  
7.00-12 STANDARD FIT

15"

250-15 QUICK FIT  
250-15 STANDARD FIT  
8.25-15 QUICK FIT  
8.25-15 STANDARD FIT  
8.15-15 QUICK FIT  
8.15-15 STANDARD FIT



EXTREME DUTY

*petlas*  
**MILITARY**

Purpose-built for extreme conditions





| MODEL                                                                                                                  |
|------------------------------------------------------------------------------------------------------------------------|
| <div></div> <div>EXPLERO PT451</div>  |
| <div></div> <div>EXPLERO PT461</div> |
| <div></div> <div>PN30</div>         |

FULL SIZE INDEX

EXPLERO PT451

16"

235/85 R16 C

16.5"

37x12.50R 16.5

EXPLERO PT461

16"

7.50 R16

PN30

18"

13.00-18



| MODEL                                                                               |            |
|-------------------------------------------------------------------------------------|------------|
|    | PM50       |
|   | PM40       |
|  | RM900 PLUS |

FULL SIZE INDEX

PM50

20"  
12.5-20

PM40

20"  
14.00-20

RM900 PLUS

20"  
14.00 R20



MODEL



RM910



RM915

FULL SIZE INDEX

**RM910**

**20"**

- 16.00 R20
- 335/80 R20
- 365/80 R20
- 365/85 R20
- 395/85 R20

**RM915**

**20"**

- 16.00 R20





AIR SIDE

*petlas*  
**AVIATION**

Ground-handling tyres built for airport service duty



MODEL



ANA

FULL SIZE INDEX

ANA

|             |             |                 |
|-------------|-------------|-----------------|
| <b>4"</b>   | <b>11"</b>  | <b>14.5"</b>    |
| 10*3.50-4   | 22*8.5-11   | 27.75*8.75-14.5 |
| <b>5"</b>   | <b>12"</b>  | 30*11.5-14.5    |
| 5.00-5      | 20*4.4-12   | <b>18"</b>      |
| 11*4.00-5   | 11.00-12    | 36*11.0-18      |
| <b>8"</b>   | <b>13"</b>  | <b>Other</b>    |
| 17.5*5.75-8 | 24x8.0-13   | 18x5.5          |
| <b>10"</b>  | <b>14"</b>  |                 |
| 8.50-10     | 26.0*8.0-14 |                 |

AIRCRAFT SIZE INDEX

| TIRE SIZE              | PR | TT/TL | I       |
|------------------------|----|-------|---------|
| <b>26.0*8.0-14</b>     | 16 | TL    | F S F   |
| <b>27.75*8.75-14.5</b> | 24 | TL    | F E 4   |
| <b>30*11.5-14.5</b>    | 24 | TL    | F P II  |
| <b>30*11.5-14.5</b>    | 26 | TL    | F P II  |
| <b>22*8.5-11</b>       | 16 | TL    | F F F T |
| <b>20*4.4-12</b>       | 12 | TL    | T T     |
| <b>20*4.4-12</b>       | 14 | TL    | T T     |
| <b>11.00-12</b>        | 10 | TL    | C       |
| <b>8.50-10</b>         | 12 | TL    | C       |
| <b>5.00-5</b>          | 10 | TL    | A       |
| <b>10*3.50-4</b>       | 4  | TL    | A       |
| <b>11*4.00-5</b>       | 8  | TL    | M       |
| <b>17.5*5.75-8</b>     | 12 | TL    | M       |
| <b>36*11.0-18</b>      | 30 | TL    | K       |
| <b>24x8.0-13</b>       | 18 | TL    | H       |
| <b>18x5.5</b>          | 14 | TL    | C       |



MAIN LANDING GEAR

Main landing gear tyres used on the fuselage of military aircraft, helicopters and UAV/UCAV platforms.

- MILITARY AIRCRAFT
- HELICOPTERS
- UAV / UCAV









# THANK YOU.

For inquiries, pricing, and export documentation, our team is ready to support your next order.

*petlas*

